

PowerPack 4000S

DC power supply for PS2-4000 pump systems

Description

The PowerPack 4000S is an outdoor rated power supply unit which allows LORENTZ PS2-4000 systems to be powered from an AC (mains voltage) power source. The PowerPack 4000S can be used as a continuous power supply or as a temporary or seasonal power supply.

Features

- DC power supply to power LORENTZ solar pump systems from the grid or a generator
- Single phase powered device
- Robust weatherproof housing
- Wall or panel mount possible
- Efficiency up to 93%
- External on / off switch plus LED indicator
- Forced air cooling by built-in fans
- Protections against short circuit, overload, over voltage, over temperature, fan failure



Technical data / Specifications

| PowerPack 4000S |
|-----------------------------------|
| PS2-4000 |
| Single phase 200-240 V AC ± (10%) |
| 20 A / 180 V AC 16 A / 230 V AC |
| 47-63 Hz |
| 210-250 V DC / 12-14 A |
| IP33 |
| On-Off control function |
| Steel box |
| |

Additional certifications concerning the inbuilt power supply:



BERNT LORENTZ GmbH

Siebenstuecken 24, 24558 Henstedt-Ulzburg, Germany Tel. +49 (0) 4193 8806 - 700, www.lorentz.de

Sun. Water. Life.

All specifications and information are given with good intent, errors are possible and products may be subject to change without notice. Pictures may differ from actual products depending on local market requirements and regulations.




Order information

| Item number | Description |
|-------------|-----------------|
| 19-000185 | PowerPack 4000S |

Figure 1 key

| А | 280 mm / 11 in |
|---|------------------|
| В | 350 mm / 13.8 in |
| С | 140 mm / 5.5 in |
| D | 334 mm / 13.1 in |
| E | 384 mm / 15.1 in |
| F | 180 mm / 7.1 in |

Figure 1: Product dimensions



Mounting

 Fixing pattern for holes: 310 x 292 mm / 12.2 x 11.5 in



Dimensions and weight

| 450 mm (17.7 in) |
|--|
| 350 mm (13.8 in) |
| 230 mm (9 in) |
| 0.036 m ³ (1.27 ft ³) |
| 9.5 kg (20.9 lbs) |
| 8.5 kg (18.7 lbs) |
| |

